



GLYPTEC®

CHEMICAL PROTECTION



www.glyptec.com

SERVICE MASTER® 500

Art No.: 63101FT01

Service Master®500 is a limited life coverall made of high breathable SMS material. Designed to protect workers from hazardous substances. Has 3-piece hood, 2-way zipper closure, elastic backwaist, ankles and with knitted cuffs.

FEATURES

- Sealable zip storm flap for extra protection
- Chemical and dust resistant
- Superb liquid protection
- Exceptional design for comfortable fit
- Anti-static, tested to EN 1149-5
- Silicon-free
- Low Linting


EN ISO 13034 TYPE 6
 EN ISO 13982 TYPE 5
 EN 1073-2
 EN 1149-5
 CE Cat. III

WHITE

S - 3XL

1
pc/bag

25
pcs/box



3-Piece Hood

Knitted Cuffs



LOW LINT

Elasticated Ankles

COMPONENTS



3-pc hood elastic face opening



Two-way nylon coil zipper



Storm flap with adhesive



Elastic back waist



Elastic ankles

STANDARDS

EN 13034:2005 +A1:2009



EN ISO 13982-1:2004 +A1:2010



EN 1073-2:2002



EN 1149-5:2008



CHEMICAL PROTECTION



DONNING / DOFFING



SUITABLE APPLICATIONS

Chemical Handling, Automotive, Construction, Janitorial, Painting, Electronics, Pharmaceutical.

SERVICE MASTER® 600 (FR)

Art No.: 63203FT01

Chemical protective coverall made of SMS with Limited Flame Resistant feature. The unique tri-laminate construction material provides barrier against non-hazardous dirt, grease, grime and aerosols.

FEATURES



- Limited Flammability tested according to EN 14116
- Superb liquid protection
- Chemical and dust resistant
- Exceptional design for comfortable fit
- Anti-static, tested to EN 1149-5
- Silicon-free
- Low Linting


EN ISO 13034 TYPE 6
 EN ISO 13982 TYPE 5
 EN ISO 14116
 EN 1073-2
 EN 1149-5
 CE Cat. III

WHITE

S - 3XL

1 pcs/ctn

25 pcs/ctn



COMPONENTS



3-pc hood elastic face opening



One-way (Red) nylon coil zipper



Storm flap with adhesive



Elastic back waist



Elastic cuffs & ankles

STANDARDS

EN 13034:2005 +A1:2009 EN ISO 13982-1:2004 +A1:2010



EN ISO 14116:2015 INDEX 1/0/0

EN 1073-2:2002 EN 1149-5:2008

CHEMICAL PROTECTION



DONNING / DOFFING



SUITABLE APPLICATIONS

Oil & Gas, Pharmaceutical, Chemical Handling, Construction, Combustible Dust, Electronics, Painting.

SERVICE MASTER® 1000

Art No.: 63210GT405

Made of breathable microporous fabric with superior protection against hazardous liquid spray and fine particulates. Built with 3-piece hood, storm flap zipper closure, elastic backwaist, cuffs and ankles.

FEATURES

- Robust mechanical performance and abrasion resistance
- Excellent particle protection
- Aerosol resistant
- Anti-static, tested to EN 1149-5
- Superb breathability and comfort
- Ergonomic fit for ease of movement
- Lightweight and spacious design

EN ISO 13034 TYPE 6

EN ISO 13982 TYPE 5

EN 14126

EN 1073-2

EN 1149-5


CE Cat. III

WHITE


S - 3XL

1
pc/bag

50
pcs/box



COMPONENTS



DONNING / DOFFING



STANDARDS



SUITABLE APPLICATIONS

Oil & Gas, Forensic Science, Aerospace, Petrochemical, Chemical Handling, Pharmaceutical, Laboratory, Automotive, Construction.

SERVICE MASTER® 3000

Art No.: 63219GT562

Service Master® 3000 offers mechanical strength, liquid and particulate protection. Has excellent barrier to chemical spray and infective agents. Hooded coverall, with 2-way zipper, elastic backwaist, ankles, cuffs and thumb loop.

FEATURES


- Radioactive particulate protection
 - Exceptional mechanical performance
 - Double storm flap cover
 - Lightweight and comfortable design
 - Ergonomic fit for ease of movement
 - Stitched and overtaped seams
 - Anti-static, tested to EN 1149-5
 - Low Linting
- EN ISO 13034 (T6)
 - EN ISO 13982 (T5)
 - EN ISO 14605 (T4)
 - EN ISO 13605 (T3)
 - EN ISO 14116
 - EN 1149-5
 - EN 1073-2

YELLOW

S - 3XL

1
pc/bag

25
pcs/box



3-Piece Hood



Double Storm Flap Cover



Elastic Cuffs with Thumb Loop



Offers excellent protection

LOW LINT

COMPONENTS



3-pc hood elastic face opening



Elastic back waist



Sealable double storm flap



Elastic cuff with thumb loop



Stitched & overtaped seams

STANDARDS

EN 13034:2005 +A1:2009 EN ISO 14605:2005 +A1:2009 EN 14605:2005 +A1:2009



DONNING / DOFFING



SUITABLE APPLICATIONS

Biological Hazards, Oil & Gas, Chemical Handling, Hazardous Materials, Decontamination, Pharmaceutical, Industrial Clean-Up and Maintenance.

SERVICE MASTER® 1000 ACCESSORIES

Made of breathable microporous fabric with superior protection against hazardous liquid spray and fine particulates.

LABCOAT #15204GT01

Color: White
Size: 108 x 70cm

25 pcs/bag

100 pcs/box



HOOD #16204GT01

Color: White
Size: Unisize

50 pcs/poly

100 pcs/box



ARM SLEEVES #56204GT01

Color: White
Size: 50 x 21cm

20 pcs/bag

200 pcs/box



BOOT COVER #43204GT119

Color: White
Size: 48 x 42 x 12.5cm

20 pcs/bag

200 pcs/box



SHOE COVER #43204GT01

Color: White
Size: 40 x 13cm

20 pcs/bag

400 pcs/box



SUITABLE APPLICATIONS

Chemical Handling, Petrochemical, Laboratory, Pharmaceutical, Aerospace, Automotive, Construction, Janitorial, Painting.



Follow Us

